

| Hole Diameter (In.) | Hole Capacity (bbl/ft) |
|---------------------|------------------------|
| 3 | 0.0087 |
| 3 ½ | 0.0119 |
| 4 | 0.0155 |
| 4 ½ | 0.0197 |
| 5 | 0.0243 |
| 5 ½ | 0.0294 |
| 6 | 0.0350 |
| 6 ½ | 0.0410 |
| 7 | 0.0476 |
| 7 ½ | 0.0546 |
| 8 | 0.0622 |
| 8 ½ | 0.0702 |
| 9 | 0.0787 |
| 9 ½ | 0.0877 |
| 10 | 0.0971 |
| 10 ½ | 0.1071 |
| 11 | 0.1175 |
| 11 ½ | 0.1285 |
| 12 | 0.1399 |
| 12 ½ | 0.1518 |
| 13 | 0.1642 |
| 13 ½ | 0.1770 |
| 14 | 0.1904 |
| 14 ½ | 0.2042 |
| 15 | 0.2086 |
| 15 ½ | 0.2334 |
| 16 | 0.2487 |
| 16 ½ | 0.2645 |
| 17 | 0.2807 |
| 17 ½ | 0.2975 |
| 18 | 0.3147 |
| 18 ½ | 0.3325 |
| 19 | 0.3507 |
| 19 ½ | 0.3694 |
| 20 | 0.3886 |
| 20 ½ | 0.4082 |
| 21 | 0.4284 |
| 21 ½ | 0.4490 |
| 22 | 0.4702 |
| 22 ½ | 0.4918 |

| Hole Diameter (In.) | Hole Capacity (bbl/ft) |
|---------------------|------------------------|
| 23 | 0.5139 |
| 23 ½ | 0.5365 |
| 24 | 0.5595 |
| 24 ½ | 0.5831 |
| 25 | 0.6071 |
| 25 ½ | 0.6317 |
| 26 | 0.6567 |
| 26 ½ | 0.6822 |
| 27 | 0.7082 |
| 27 ½ | 0.7347 |
| 28 | 0.7616 |
| 28 ½ | 0.7891 |
| 29 | 0.8170 |
| 29 ½ | 0.8454 |
| 30 | 0.8743 |
| 30 ½ | 0.9037 |
| 31 | 0.9336 |
| 31 ½ | 0.9639 |
| 32 | 0.9948 |
| 32 ½ | 1.0261 |
| 33 | 1.0579 |
| 33 ½ | 1.0902 |
| 34 | 1.1230 |
| 34 ½ | 1.1563 |
| 35 | 1.1900 |
| 35 ½ | 1.2243 |
| 36 | 1.2590 |
| 36 ½ | 1.2942 |
| 37 | 1.3299 |
| 37 ½ | 1.3661 |
| 38 | 1.4028 |
| 38 ½ | 1.4399 |
| 39 | 1.4776 |
| 39 ½ | 1.5157 |
| 40 | 1.5543 |
| 40 ½ | 1.5934 |
| 41 | 1.6330 |
| 41 ½ | 1.6731 |
| 42 | 1.7136 |
| 42 ½ | 1.7547 |